



Question Paper

B.Sc. General Examinations 2022

(Under CBCS Pattern)

Semester - II

Subject : MATHEMATICS

Paper : DSC 1B/2B/3B - T

[DIFFERENTIAL EQUATIONS]

Full Marks : 60

Time : 3 Hours

Candidates are required to give their answers in their own words as far as practicable. The figures in the margin indicate full marks.

1. Answer any *ten* questions :

(a) Determine the degree and order of the differential equation $\frac{d^2 v}{d^2 v} = \left(\frac{dv}{dv}\right)^2$

$$x^{3}\frac{d^{2}y}{dx^{2}} + \cos x \left(\frac{dy}{dx}\right) + (\sin x)y = 0.$$

- (b) State the existence and uniqueness theorem of ODE.
- (c) Show that the equation $(x^3 3x^2y + 2xy^2)dx (x^3 2x^2y + y^3)dy = 0$ is exact and find the solution if y = 1 when x = 1.

(d) Find the integrating factor of $\sec^2 y \frac{dy}{dx} + 2x \tan y = x^2$.

P.T.O.

2×10=20

(e) Solve:
$$(2xy + e^x)y dx - e^x dy = 0$$
.

- (f) If $y_1(x) = e^{-3x}$ and $y_2(x) = e^{2x}$ are two solutions of the differential equation $\frac{d^2y}{dx^2} + \frac{dy}{dx} - 6y = 0$. Show that $y_1(x)$ and $y_2(x)$ are linearly independent.
- (g) Find the value of $\frac{1}{(D+2)}e^{-2x}\sin 3x$.
- (h) Prove that e^{x^2} is an integrating factor of $(x^2 + xy^4)dx + 2y^3dy = 0$ and hence solve it.
- (i) Obtain the complete primitives and singular solution of the clairaut's form $y = Px + P P^2$.
- (j) Define singular solution of an ODE.

(k) Solve:
$$\frac{xdx}{y^2z} = \frac{dy}{xz} = \frac{dz}{y^2}$$
, z is a function of x and y.

(1) Eliminate the arbitrary constant *a* from the given relation z = a(x+y).

(m) Solve:
$$\frac{dy}{dx} = (y+3x)^2$$
.

(n) If
$$\frac{du(x)}{dx} = v(x)$$
, $\frac{dv(x)}{dx} = u(x)$ and $u(0) = 1$ and $v(0) = 1$. Find $u(x)$.

(o) Solve:
$$x^2 p + yq = z^2$$
.

2. Answer any *four* questions :

(a) Solve:
$$(x^3 + xy^4) dx + 2y^3 dy = 0$$
.

(b) Find the integral surface of the linear partial differential equation (x-y)p+(y-x-z)q=z through the circle $x^2+y^2=1$, z=1. P.T.O.

5×4=20

(3)

(c) Solve the differential equation
$$\frac{d^3y}{dx^3} - 5\frac{d^2y}{dx^2} + 8\frac{dy}{dx} - 4y = e^{2x} + e^x + 3e^{-x}$$

(d) Solve by the method of variation of parameter
$$\frac{d^2y}{dx^2} + a^2y = \sec(ax)$$
.

(e) Solve the simultaneous equations :

(D-17)x + (2D-8)y = 0(13D-53)x - 2y = 0

- (f) Solve: $x^2 dy + y(x+y) dx = 0$.
- 3. Answer any *two* questions :
 - (a) (i) Solve: $y(2xy + e^x)dx e^xdy = 0$.
 - (ii) Solve and find the singular solution of $x^3p^2 + x^2py + a^3 = 0$.

(b) (i) Solve:
$$(D^2 - 6D + 25)y = 2e^{3x}\cos 4x + 8e^{3x}(1 - 2x\sin 4x)$$
.

- (ii) Solve by the method of variation of parameters $x^3 \frac{d^3y}{dx^3} + 3x^2 \frac{d^2y}{dx^2} = 1$, x > 0 is being given by $y = x^{-1}$, y = 1 and y = x are three linearly independent solutions of its reduced equation.
- (c) (i) Solve: $x(y^2+z)p y(x^2+z)q = z(x^2-y^2)$.
 - (ii) Find the partial differential equation arising from $\phi\left(\frac{z}{x^3}, \frac{y}{x}\right) = 0$, where ϕ is an arbitrary function of its argument.

10×2=20